SACOTEX 850

Fully automatic bag conversion line





The **SACOTEX 850** automatic bag conversion line cuts, converts and bottom-sews uncoated and coated circular fabric tubes into standard bags and gusseted raffia bags.



COMPONENTS:

Unwinding section	
Delivery section	
Cutting section	
90 Degree transfer unit	
Folding unit	
Sewing unit	
Stacking and delivery unit	
INTELLICON machine control	

OPTIONAL EQUIPMENT:

Pneumatic shaft other than standard
Inline gusseting unit GUSSETTEX
Double needle sewing head with lower and upper feed (Union Special), only at reduced spec
Single needle sewing head with lower and upper feed (Union Special) for coated or gusseted fabric, only at reduced speed
Fume exhaust system for cutting unit
Perforation unit to make vent holes into coated woven fabric

Handle punching unit (only for coated fabric)

SACOTEX

Unwinding roll diameter	[mm]	1.500
Working width	[mm]	300 – 850
Cutting length	[mm]	500 – 1.400
Stitch length max.	[mm]	8
Capacity – coated/uncoated fabric with/without gusset up to	[bags/h]	2.700

(depending on bag design, fabric weight and coating thickness)

Other production data possible (to be tested upon request)


EXPERTISE IN WOVEN FABRIC PRODUCTION.



Factory in Czech Republic



W&H Headquarters in Germany



Tape extrusion lines · precision tape winders · circular weaving looms · extrusion coating/laminating lines · tubers · roll-to-roll printing machines · roll slitting machines · ultrasonic fabric slitting machines · block bottom valve bag conversion lines · cutting and sewing lines · baling presses · automatic fabric winders · dosing units

Legal address: Windmöller & Hölscher Machinery k.s. Haj 374, 79812 Kralice na Hane Czech Republic



Sales office: Windmöller & Hölscher Machinery GmbH Triester Strasse 10/1/122 2351 Wiener Neudorf, Austria

Tel.: +43 2236 374 274 49 whm.sales@wuh-group.com www.wuh-machinery.com