


COMPETENCE IN WOVEN SACKS

CONVERTEX SL 100


Valve bottomer



CONVERTEX SL 100

Valve bottomer

The **CONVERTEX SL100** conversion line produces up to 100 **AD proTex®** block bottom valve sacks per minute, using a highly advanced adhesive-free production process.



CONVERTEX SL 100

Sack width	35 – 60 cm
Sack length	45 – 91 cm
Bottom width, valve sack	8 – 18 cm
Bottom centre distance	35 – 75 cm
Tube cut-off length	53 – 109 cm
Production speed	max. 100* sacks/min

*depending on sack design, processed material, etc.

FEATURES:

VALVECON checks presence and quality of the valves

EASYSTART fast ramp up and reduced waste

EASYTRACK fabric width monitoring, automatic setpoint tracing of bottom opening

SERVICEMON supports customer maintenance

OPTIONAL EQUIPMENT:

NANOTEX for indexed nano perforation, additional unit with working width 300 – 600 mm (DF)

NANOTEX CYCLO for indexed nano perforation, additional unit with working width 300 – 600 mm (DF)

ERC PATCH additional unwinding for bottom patch and valve devices

PROGUARD fabric sections which have been marked in a prior process as non-conforming are ejected right after the cross cutter (patented)

POCKETVALVE valve unit attachment (max. production speed 60 sacks/min)

NARROWSACK narrow tube width (min. sack width 25 cm)

ERC MAIN (easy-roll-change system) for main fabric

FABRICON detects user applied labels

PROSTACK automatically converts the stream of **AD proTex®** sacks at the end of the machine into stacks of sacks for further handling

ENERMON evaluates energy consumption

PRO-PACKAGE data support for production optimisation including **PRO-DATA**, **PRO-EVENT**, **PRO-SHIFT**

HANDLEPUNCH grip hole punch (max. production speed 80 sacks/min)

EXPERTISE IN WOVEN FABRIC PRODUCTION.



Factory in Czech Republic



W&H Headquarters in Germany



Tape extrusion lines · precision tape winders · circular weaving looms · extrusion coating/laminating lines · tubers · roll-to-roll printing machines · roll slitting machines · ultrasonic fabric slitting machines · block bottom valve sack conversion lines · cutting and sewing lines · baling presses · automatic fabric winders · dosing units



WINDMÖLLER & HÖLSCHER

Legal address:

Windmüller & Hölscher Machinery k.s.
Haj 374, 79812 Kralice na Hane
Czech Republic

Sales office:

Windmüller & Hölscher Machinery GmbH
Triester Strasse 10/1/122
2351 Wiener Neudorf, Austria

Tel.: +43 2236 374 274 49
whm.sales@wuh-group.com
www.wuh-machinery.com