


COMPETENCE IN WOVEN SACKS

---


# CONVERTEX SLC

Valve bottomer



# CONVERTEX SLC Valve bottomer

The **CONVERTEX SLC** conversion line produces up to 120 **AD proTex**<sup>®</sup> block bottom valve sacks per minute, using a highly advanced adhesive-free production process.



## CONVERTEX SLC

Sack width	35 – 60 cm
Sack length	45 – 91 cm
Bottom width, valve sack	8 – 18 cm
Bottom centre distance	35 – 75 cm
Tube cut-off length	53 – 109 cm
Production speed	max. 120* sacks/min

\*depending on sack design, processed material, etc.

## FEATURES:

**VALVECON** checks presence and quality of the valves

**EASYSTART** fast ramp up and reduced waste

**EASYTRACK** fabric width monitoring, automatic setpoint tracing of bottom opening

**SERVICEMON** supports customer maintenance

## OPTIONAL EQUIPMENT:

**NANOTEX** for indexed nano perforation, additional unit with working width 300 – 600 mm (DF)

**NANOTEX CYCLO** for indexed nano perforation, additional unit with working width 300 – 600 mm (DF)

**ERC PATCH** additional unwinding for bottom patch and valve devices

**PROGUARD** fabric sections which have been marked in a prior process as non-conforming are ejected right after the cross cutter (patented)

**POCKETVALVE** valve unit attachment (max. production speed 60 sacks/min)

**NARROWSACK** narrow tube width (min. sack width 25 cm)

**ERC MAIN** (easy-roll-change system) for main fabric

**FABRICON** detects user applied labels

**PROSTACK** automatically converts the stream of **AD proTex**<sup>®</sup> sacks at the end of the machine into stacks of sacks for further handling

**ENERMON** evaluates energy consumption

**PRO-PACKAGE** data support for production optimisation including **PRO-DATA**, **PRO-EVENT**, **PRO-SHIFT**

**HANDLEPUNCH** grip hole punch (max. production speed 80 m/min)

## COMPETENCE IN WOVEN SACKS

# EXPERTISE IN WOVEN FABRIC PRODUCTION.



Factory in Czech Republic



W&H Headquarters in Germany



Tape extrusion lines · precision tape winders · circular weaving looms · extrusion coating/laminating lines · tubers · roll-to-roll printing machines · roll slitting machines · ultrasonic fabric slitting machines · block bottom valve sack conversion lines · cutting and sewing lines · baling presses · automatic fabric winders · dosing units



## WINDMÖLLER & HÖLSCHER

### Legal address:

Windmüller & Hölscher Machinery k.s.  
Haj 374, 79812 Kralice na Haně  
Czech Republic

### Sales office:

Windmüller & Hölscher Machinery GmbH  
Triester Strasse 10/1/122  
2351 Wiener Neudorf, Austria

Tel.: +43 2236 374 274 49  
whm.sales@wuh-group.com  
www.wuh-machinery.com